

Subject index

Accumulation models magmas 449ff.

actinolite 82, 473f.
 adularia 474
 aegirineaugite 493
 albite 27, 58, 80, 101
 alkali basalt 207f., 258
 -, xenoliths 335f.
 alkali feldspar 440
 alkali metasomatism 98ff.
 allanite 520
 -, skarns 459f.
 Al-Si ordering, cordierite 266
 Al-solubility, garnet facies 169f.
 alteration, hydrothermal of granites,
 O isotope geochemistry 420ff.
 amphiboles 36, 151, 242, 257, 317
 -, high-P experiments 165ff.
 -, phase relations 162
 -, thermodynamics 165
 -, layered intrusion 471ff.
 -, Sesia high-P rocks 324f.
 -, thermochemistry 18ff.
 amphibolite 287, 382
 andesite 37, 197, 274
 andradite 474
 ankerite 179
 anorthite 162, 461
 anorthosite 361, 477
 apatite 104, 207, 300, 313, 440, 463, 520
 -, Fen Complex, fluid inclusions 491ff.
 armalcolite 276
 arsenopyrite 180
 assimilation 366
 -, boninites 223
 -, Mt. Shasta lavas 203
 -, Patmos lavas 308
 augite 35f., 209, 371, 440

Ba, granite minerals 518
 barometry, garnet peridotite 168ff.
 basalt crystallization, kinetics 429f.
 basalt geochemistry 89ff.
 basalts 199f., 314f.
 -, Cold Bay 369f.
 -, Mid-Atlantic ridge, olivine zoning 1ff.
 -, Oberon 207f.
 -, Pantelleria, melting experiments
 251ff.
 -, Patmos 297f.
 -, spinel harzburgite xenoliths 335f.
 biotite 39, 80, 101, 240f., 269, 291, 300,
 313, 384, 440, 514
 -, Fe-Mg distribution between b. and or-
 thopyroxene 227f.
 biotite isograd, Ryokebelt 9ff.
 biotite schist 286f.
 blueschist 322f.
 boninite, genesis and alteration 222f.
 braunite 58
 bronzite 38

C, isotopic composition in graphite 412f.
 Ca, olivine zoning 2f.
 calcite 58, 179, 215f., 461, 493
 -, Mg-content 395f.
 carbonates, vein minerals, isotopic com-
 position 182

carbonatite, Fen, fluid inclusions in apa-
 tites 491ff.
 celadonite, low-grade metamorphism
 15f.
 celsian 58
 chalcopyrite 180
 chemical analysis
 -, allanite, Bergell skarns 466
 -, amphibole, Abu volcanics 39
 -, Oonagalabi granulite 383
 -, Pantelleria lavas 257
 -, synthetic F-~ 20
 -, amphibolite, Oonagalabi 385
 -, andesite, Abu 37
 -, Disco 277
 -, anorthite, Bergell skarns 462
 -, armalcolite, Disco 276
 -, basalt, alkali ~ 337
 -, Cold Bay 370
 -, Oberon 212
 -, biotite, Abu volcanics 39
 -, granite 514
 -, granulite 384
 -, Ryoke belt 11
 -, biotite schist, Vermilion 286
 -, braunite, Vitali 71
 -, Ca-amphiboles, East Bull Lake 476
 -, chlorite, Bergell skarns 462
 -, peridotite 151
 -, Ryoke belt 11
 -, clinopyroxene, Cold Bay basalt 371
 -, Nurra 148
 -, Pantelleria lavas 257
 -, xenoliths 209
 -, clinopyroxenite, Oonagalabi 385
 -, clinzoisite, Bergell skarns 463
 -, dacite, Abu 37
 -, diabase, Death Valley 314
 -, diopside, Camp Creek 506
 -, dykes, Rinkian 441
 -, enstatite, harzburgite 339
 -, ferrogabbro, skaergaard 363
 -, garnet, granulite 384
 -, Sesia Zone 327
 -, Vitali 72
 -, glass, abyssal tholeiite 154
 -, harzburgite 341
 -, Pantelleria lavas 254
 -, glaucophanes, Sesia Zone 325
 -, gneiss, Uusimaa 246
 -, granite Meatiq 515
 -, Vermilion 289
 -, granulite, Oonagalabi 385
 -, hematite, Vitali 71
 -, hoegbomite, Bergell skarns 464
 -, ilmenite, Pantelleria lavas 276
 -, K-feldspar, granite 514
 -, latite, Camp Creek 505
 -, lavas, Pantelleria 260
 -, Patmos 304
 -, margarite, Bergell skarns 462
 -, metapelite minerals, Nurra 139, 141
 -, micas, kimberlites 402
 -, monzogranite, Vermilion 288
 -, muscovite, Ryoke 11
 -, olivine, Cold Bay basalt 371
 -, harzburgite 338

-, peridotite 148
 -, xenoliths 209
 -, olivine basalt, Abu 37
 -, omphacite, Vitali 71
 -, orthopyroxene, Nurra 148
 -, xenoliths 209
 -, peridotite, serpentinized, Mid-Atlantic
 ridge 153
 -, phenocrysts, Abu volcanics 38
 -, phlogopite, Bergell skarn 462
 -, latite 506
 -, phosphides, Disco 276
 -, piemontite, Vitali 59
 -, plagioclase, Cold Bay basalt 371
 -, granite 514
 -, granulite 384
 -, pyroxenes, granulite 383
 -, Sesia Zone 326
 -, quartz diorite, Vermilion 286
 -, Ryoke metamorphics 11f.
 -, schists, Costabonne 79
 -, sphene, Bergell skarns 466
 -, spinel, Bergell skarn 464
 -, harzburgite 340
 -, Nurra 149
 -, xenoliths 209
 -, spinel harzburgite 337
 -, thulite, Vitali 63
 -, titanomagnetite, Cold Bay basalt 372
 -, tremolite, Vitali 71
 -, trondhjemite, Rockford 105
 -, zirconolite, Bergell skarn 465
 chlorite 58, 151, 162, 180, 269, 461, 474
 -, Ryoke belt 11f.
 chlorite-muscovite association, low-grade
 metapelites 137ff.
 Cl, hornblende 478f.
 Climax-type ore deposits 347f.
 clinopyroxene 36, 147f., 207, 243, 256f.,
 274, 301f., 371, 401, 436, 473, 525
 -, mantle, O isotopic comp. 128f.
 clinopyroxenite 385
 clinzoisite 461
 cohenite 275
 contact, Skaergaard intrusion 360f.
 contact metamorphism, pelites 79f.
 cordierite 80, 245
 -, hexagonal 268
 -, sector trilling 265ff.
 corundum 461
 crystallization experiments, basalts, ki-
 netic 429ff.
 cummingtonite 160
 cumulus phases, layered intrusion 524f.
 cymrite 58
 Dacite 37, 197
 damkjernite 492
 diabase geochemistry, Proterozoic
 312ff.
 differentiation, diabase 315
 diffusion 220
 diopside 82f., 147, 162, 209, 215, 243,
 307, 326, 336f., 506
 diorite 286
 disequilibrium, C isotopes in graphite
 414

- , cordierite 265ff.
- disorder, cordierite 268
- , dolomite 395f.
- dissolution-precipitation mechanism, siliceous dolomites, high-P experiments 215f.
- dolerite 440
- dolomite 179, 215f., 493
- , disorder 395f.
- , skarns 80
- dyke homogeneity 439f.
- dykes, Fen Complex 492f.

- Eclogite** 322f.
- , O isotopic ratios 131f.
- edenite 18f., 160
- element distribution, Sesia high-P minerals 327f.
- emplacement model, patmos lavas 310
- enstatite 48, 147, 162, 169, 227, 269, 336f.
- entropy calculations, F-amphiboles 24f.
- epidote 101
- equilibrium, amphibole-plagioclase-quartz 18f.
- , Ryoike metamorphics 13f.
- equilibrium overstepping, metamorphism 265f.
- evaporation, Pb isotope analytic method 482f.

- F, amphiboles** 18f.
- , effect on phase relations 46ff.
- , silicate melts 50f.
- fayalite 364
- Fe-Mg distribution, biotite/orthopyroxene 227ff.
- fenite 492f.
- ferrogabbro 361f.
- fluid inclusions, alpine vein 180
- , Fen apatites 491f.
- fluorendenite, Gibbs energies 25f.
- fluortremolite, Gibbs energies 25f.
- forsterite 162, 215f.
- fractional crystallization, basalts 39f.
- , Mt. Shasta lavas 202f.
- , Pantelleria lavas 259f.
- , Patmos lavas 305f.
- fractionation, dykes 443

- Gabbro** 361, 440, 471f., 529
- galena 180
- garnet 151, 169f., 241, 383
- , Sesia high-P rocks 326
- garnet/biotite geothermometry, granulites 242f.
- garnet/orthopyroxene geothermobarometry, granulites 243f.
- garnet peridotite, barometry 168ff.
- geobarometry, spinel harzburgite xenoliths 342
- geochronology, high-P micas, Naxos 188f.
- , Pb isotopic analytic method 482f.
- geothermometry, granulite dome 242f.
- , mantle nodules 114f., 120f., 124f.
- , spinel harzburgite xenoliths 342
- , spinel ilherzolite 151
- Gibbs energies, F-amphiboles 25f.
- glass, abyssal tholeiite 154
- , boninite 223
- , harzburgite in alkali basalt 337
- , inclusion in apatite, Fen-carbonatites 495
- , lava melting experiments 234f.
- glaucophane 324f.
- glimmerite, volatile content 403f.
- glomeroaggregates 300
- gneiss 246, 285, 381f., 440
- granite 100f., 239, 348f., 410
- , Archean 283ff.
- , O isotope geochemistry 420f.
- granite intrusion, small-scale variations 513ff.
- granitoids, Colorado belt, origin 353
- granulite 381f.
- granulite dome, Uusimaa, thermotectonics 236ff.
- graphite, isotopic variation 409ff.
- , textures 411f.
- greenschists 93
- grossular 80

- H, granites, isotopic comp.** 421
- harzburgite 335f.
- , mica volatile content 400f.
- hawaiite 258
- hedenbergite 82f., 361
- hematite 58, 514
- hercynite 245
- hoegbomite, skarn 459f.
- hollandite 58
- hornblende 35f., 199, 243, 383, 440, 473f.
- hydrothermal alteration, granites, O isotope geochemistry 420f.
- hypersthene 243

- iljolite 491f.
- ilmenite 207, 276, 514
- inclusions, Fen-apatites 494f.
- intercumulus liquid 528
- iron, natural metallic, trace elements 273ff.

- Jadeite** 326

- K-Ar dating, micas** 189f.
- Käsenite 493
- K-feldspar 13f., 80, 514
- , granitoids, O isotope compositions 348f.
- kinetics, basalt crystallization 429f.
- K-latitude 504ff.
- Kyanite 330

- Latite** 297
- , high-K, origin 504ff.
- laumontite 474
- lavas, alkaline, Patmos 297ff.
- , Cascades, Th-U data 197f.
- , melting experiments 251f.
- layered intrusions 524f.
- leucogranite 289f.
- ilherzolite, mica volatile content 400f.
- , O isotope ratios 130

- Magma, accumulation models** 449ff.
- magma chamber, basalts 261f.
- magma mixing, Abu 33f., 41f.
- , Mt. Shasta 203
- , Patmos 307
- magma source, diabase 318
- magnetite 303, 461
- mantle, magma generation 450f.
- mantle nodules, geothermometry 114f., 120f., 124f.
- mantle peridotite, O isotopic geothermometry 127f.
- marble skarn, element mobility 459f.
- margarite 461
- mass transfer, contact metamorphism 83f.
- melagabbro 363
- melteigite 493
- melting experiments, K-latites 507f.
- metakomatiites 94f.
- metal cumulates, Disco 280
- metamorphism, biotite isograd 9f.
- , equilibrium overstepping 265f.
- , Naxos, mica dating 187f.
- , siliceous dolomites 215f.
- metasomatism, element mobility 459ff.
- , skarns 79f.
- , trondhjemite genesis 98f.
- , upper mantle 124f.
- metapelites, low-grade associations 13f., 137f.
- micas, F influence on phases 49f.
- , high-P belt, Ar-dating 187f.
- , kimberlite, volatile content 400f.
- , Patmos lavas 302f.
- , Sesia high-P rocks 326f.
- microcline 101
- microperthite 515
- microthermometry, Fen-apatites 496f.
- migmatite 285f.
- migmatized batch melting, magma generation 451f.
- migmatized fractional melting, magma generation 452f.
- Mn, olivine zoning 2f.
- mobility, elements in altered basalts 90f.
- molecular proportion ratio diagrams, basalts 88f.
- monzogranite 285f.
- muscovite 10, 58, 101, 137f., 187f., 269, 291
- mylonite 239

- Nepheline** 207, 492
- Ni, basalts 5f.
- , olivine zoning 2f.
- nucleation, basalt crystallization, effect of stirring 435f.

- Obsidian** 197
- ocean floor peridotites 144ff.
- O fugacity, effect on K-latitude genesis 509f.
- O isotope composition, boninite phases 223
- , granites 420ff.
- , granitoid minerals 348f.
- O isotope geothermometry, non-equilibrium in mantle nodules 114f., 120f., 124f.
- oligoclase 103
- olivine 35f., 148f., 199, 207, 223, 259, 301, 336f., 371, 401f., 434, 440, 525f.

- , spinel peridotite, O isotopic comp. 128
- , zoning 1ff.
- olivine basalt, Abu 37f.
- omphacite 71, 330
- ordering, Al-Si in cordierite 266
- orthoclase 519
- orthopyroxene 35f., 147f., 169f., 199, 243, 274, 382f., 401, 525
- , Fe-Mg distribution between o. and biotite 227f.
- , mantle, O isotopic comp. 128f.
- Pantellerite** 252f.
- paragonite 326f.
- pargasite 160
- partial melting 292
- , disequilibrium 364
- , magma generation 450f.
- partitioning, Fe-Mg between biotite/orthopyroxene 227f.
- Pb isotope analytic method, zircons 482f.
- percolation, magma generation 454f.
- peridotite, Mid-Atlantic ridge 144f.
- , volatile content in micas 400f.
- perthite 101
- phengite 79f., 188f., 327f.
- Phenocrysts, Abu volcanics 35f.
- , latite 505f.
- phlogopite 49, 227, 461, 492, 506
- , kimberlites, volatile cont. 399ff.
- phonolite 297
- phosphides, Disco 276
- piemontite, crystal chemistry 56f.
- pigeonite 473
- pitchblende 180f.
- plagioclase 13f., 37, 80, 101, 199, 207, 245, 258, 274, 291, 298f., 313f., 361, 370f., 384, 434, 440, 474, 514, 527
- pseudomorphs, diabase 313f.
- , Patmos lavas 300
- pyroclastics 297
- pyroxenes, boninite 223
- , Sesia high-P rocks 326f.
- pyrrhotite 180
- Quartz** 27, 37, 58, 80, 180, 227, 243, 269, 291, 361, 440
- , diorite 286
- , granitoids, O isotopic comp. 348
- quartz diorite 286, 410
- Rare earth elements, basalts** 213
- , Bergell skarns 466
- , granite 520
- , granulites 385
- , Vermilion Complex 292
- rauhaugite 493
- Rb-Sr data, dykes 446
- REE mobility, skarn formation 459f.
- rhyolite 197, 349
- riebeckite 324f.
- ringite 493
- rutile 58, 465
- Salite** 383
- sanidine 227, 303
- schreibersite 281
- sector trilling, cordierites 265f.
- sericite 180
- serpentinization 145f.
- siderophile elements, Disco 278
- silicate melts, F dissolution 50f.
- sillimanite 245, 269
- skarns, Costabonne schists 79ff.
- , element mobility 459ff.
- soevite 491f.
- spessartine 58
- sphalerite geobarometry, granulites 245
- sphene 463
- spinel 36, 149, 209, 276, 301, 336f., 461
- , peridotites, O isotopic comp. 128
- spinel harzburgite, Kishb xenoliths 335f.
- spinel ilherzolite, xenoliths in Oberon basalts 207f.
- stirring, influence on basalt crystallization kinetics 429ff.
- substitutions, piemontite and thulite 65f.
- Svecokarelian belts 236f.
- system, CaCO_3 - MgCO_3 , dolomite disorder 395f.
- , KAlSiO_4 - Mg_2SiO_4 - SiO_2 , F influence on phases 46ff.
- Talc** 162, 215
- textures, graphites in plutonic rocks 411f.
- thermobarometry, garnet peridotite 168ff.
- , xenoliths 210
- thermochemistry, F-amphiboles 19f.
- thermodynamics, amphiboles 165f.
- , garnet peridotite 170f.
- thermoexpansion, garnet peridotite 170
- thermotectonics, granulites 236ff.
- tholeiite, relation to peridotite 144f.
- tholeiite fractionation 373f.
- Th-U data, Cascade lavas 197
- , Mt. Shasta lavas 199
- thulite, crystal chemistry 56ff.
- Ti mobility, skarn formation 459f.
- titanite 58, 80
- titanomagnetite 207, 371f.
- tonalite 285, 514
- trace elements, Abu volcanics 37f.
- , basalts 210f.
- , diabase 314
- , Disco andesites 277
- , dykes 441
- , granites 516f.
- , granulites 385
- , Mt. Shasta lavas 202
- , peridotites 153
- , skarns 84
- , trondhjemite 104f.
- , Vermilion Complex 286, 288
- trachybasalt 299
- trachyte 252, 297
- transformation trilling, cordierite 265f.
- tremolite 18f., 58, 215f., 473f.
- , high-P experiments 160f.
- trilling, cordierites 265f.
- troctolite 477
- troilite 274
- trondhjemite 285
- , metasomatic origin 98ff.
- tschermakite, high-P experiments 160f.
- two-pyroxene geothermometry, granulites 243f.
- U, vein mineralization, Alps** 179f.
- upper mantle, volatiles 399f.
- Vein carbonates, isotopic comp.** 182
- vein mineralization, alpine 180f.
- vermiculite, metamorphic 137f.
- volatiles, kimberlitic micas 402f.
- Water content, boninites** 225
- websterite 208
- wollastonite 215
- Xenoliths, Kishb basalts** 335ff.
- , Oberon basalts 207f.
- , peridotites, mica volatile content 400f.
- Zircon, Pb isotope analytic method** 482f.
- zirconolite, skarn 459f.
- zonation, skarns 80f.
- zoning, garnets 241
- , olivines 1ff.
- , piemontite 59f.
- Zr mobility, skarn formation 459f.